




GROUNDWATER QUALITY ANALYSIS REPORT

Prey Veng - Kanhchriech - Chong Ampil (100C)



Chong Ampil is located in the district of Kanhchriech. The population of this commune is approximately 7175 (2004). Groundwater sample collection occurred in October 2007 and consisted of the sampling of 14 tube wells throughout the commune. The attached figure presents the location of Chong Ampil within Prey Veng as well as groundwater sample locations and exceedances of health-impacting contaminants (when applicable).

Groundwater Quality Rating


The groundwater quality rating for Chong Ampil is 100C. Therefore, the general safety of deep aquifer groundwater is excellent and the aesthetic quality of the water is good, according to the contaminants measured and samples collected. The following two sections describe all major health and aesthetic contaminants that exceeded drinking water standards in at least one sample within the commune.

Contaminants of Potential Concern – Health

No health-impacting contaminants of concern were observed within this commune.

Contaminants of Potential Concern – Aesthetic

Iron - Elevated concentrations of Iron were observed within the commune. The estimated probability of encountering potentially unacceptable concentrations of Iron (>1 mg/L) in tube wells is 23%, based on the observed data. At elevated concentrations, Iron causes water to be cloudy and unpleasant to drink. An odor may also be encountered at high concentrations. Iron can also stain laundry, food (can cause discoloration of cooked rice), and leave deposits. Aeration allows oxygen to enter the water and react with Iron to form a compound which is insoluble in water. The newly formed solids will slowly settle to the bottom or can be removed more rapidly by filtration. Performing these procedures may reduce the concentration of Iron in water but follow-up testing is recommended to ensure water quality standards are met.



- No Exceedance
 - Arsenic
 - Manganese
 - Fluoride
 - Nitrate
 - Province Boundary
 - Commune Boundary
- Locations exceeding the Cambodian water quality standards for major health-impacting contaminants have been colour-coded and arranged such that they do not overlap.

Tube Well Sample Locations and Health-Based Exceedances

Chong Ampil - Kanhchriech - Prey Veng - Cambodia